

MBU-1000 & 2000

Supported Phone Features

Date: 10th Dec.,2007

Note: √: means supported

X: means unsupported

Sony Ericsson							
		P1i	S500i	K610i	K618i	K800i	W880i
Features							
Caller ID		✓	✓	✓	✓	✓	✓
Battery life		✓	✓	✓	✓	✓	✓
A2DP/AVRCP		✓	✓	✓	✓	✓	✓
Paring		✓	✓	✓	✓	✓	✓
Ringing	Talk	✓	✓	✓	✓	✓	✓
	Reject	✓	✓	✓	✓	✓	✓
Talking	Audio Transfer	✓	✓	✓	✓	✓	✓
	Volume up/down	✓	✓	✓	✓	✓	✓
	Hang up	✓	✓	✓	✓	✓	✓
Dialing	Audio Transfer	✓	✓	✓	✓	✓	✓
	Volume up/down	✓	✓	✓	✓	✓	✓




	Voice dial	X	√	√	√	√	√
	Redial last call	√	√	√	√	√	√
3-way Talk	Reject line2 incoming call	√	√	√	√	√	√
	Terminate line1 and accept line2	√	√	√	√	√	√
	Switch between line1 and line2	√	√	√	√	√	√
	3-way talk	√	√	√	√	√	√
Phonebook							
	Received	√	√	√	√	√	√
	Missed call	√	√	√	√	√	√

Sony Ericsson						
	W800i	K750i	W850i	K510i		
Features						
Caller ID	√	√	√	√		
Battery life	√	√	√	√		
A2DP/AVRCP	X	X	√	X		

Call Management Features							
Paring		✓	✓	✓	✓		
Ringing	Talk	✓	✓	✓	✓		
	Reject	✓	✓	✓	✓		
Talking	Audio Transfer	✓	✓	✓	✓		
	Volume up/down	✓	✓	✓	✓		
	Hang up	✓	✓	✓	✓		
Dialing	Audio Transfer	✓	✓	✓	✓		
	Volume up/down	✓	✓	✓	✓		
	Voice dial	✓	✓	✓	✓		
	Redial last call	✓	✓	✓	✓		
3-way Talk	Reject line2 incoming call	✓	✓	✓	✓		
	Terminate line1 and accept line2	✓	✓	✓	✓		
	Switch between line1 and line2	✓	✓	✓	✓		
	3-way talk	✓	✓	✓	✓		
Phonebook							
	Received	✓	✓	✓	✓		
	Missed call	✓	✓	✓	✓		

Sony Ericsson							
		M600i	K700i	Z800i	S700i	W550i	Z600
Features							
Caller ID		√	√	√	√	√	√
RSSI Signal		√	√	√	√	√	√
Battery life		√	√	√	√	√	√
A2DP/AVRCP		√	X	X	X	X	X
Paring							
Paring		√	√	√	√	√	√
Ringing	Talk	√	√	√	√	√	√
	Reject	√	√	√	√	√	√
Talking	Audio Transfer	√	√	√	√	√	√
	Volume up/down	√	√	√	√	√	√
	Hang up	√	√	√	√	√	√
Dialing	Audio Transfer	√	X	X	X	X	√
	Volume up/down	√	√	√	√	√	√

	Voice dial	√	√	√	√	√	√
	Redial last call	√	√	√	√	√	√
3-way Talk	Reject line2 incoming call	√	√	√	√	√	√
	Terminate line1 and accept line2	√	√	√	√	√	√
	Switch between line1 and line2	√	√	√	√	√	√
	3-way talk	√	√	X	√	√	X
Phonebook							
	Dialed	√	√	√	√	√	√
	Received	√	√	√	√	√	√
	Missed call	√	√	√	√	√	√

Sony Ericsson						
	T68	T68i	T610			
Features						
Caller ID	√	√	√			
RSSI Signal	√	√	√			
Battery life	√	√	√			

A2DP/AVRCP		X	X	X			
Paring		√	√	√			
Ringing	Talk	√	√	√			
	Reject	√	√	√			
Talking	Audio Transfer	√	√	√			
	Volume up/down	√	√	√			
	Hang up	√	√	√			
Dialing	Audio Transfer	√	√	√			
	Volume up/down	√	√	√			
	Voice dial	√	√	√			
	Redial last call	√	√	√			
3-way Talk	Reject line2 incoming call	√	√	√			
	Terminate line1 and accept line2	√	√	√			
	Switch between line1 and line2	√	√	√			
	3-way talk	X	√	√			
Phonebook							
	Dialed	√	√	√			
	Received	√	√	√			
	Missed call	√	√	√			

NOKIA							
		7500	N91	6300	5700	5300	N73
Features							
Caller ID		√	√	√	√	√	√
RSSI Signal		√	√	√	√	√	√
Battery life		√	√	√	√	√	√
A2DP/AVRCP		√	√	√	√	√	X
Paring		√	√	√	√	√	√
Ringing	Talk	√	√	√	√	√	√
	Reject	√	√	√	√	√	√
Talking	Audio Transfer	√	√	√	√	√	√
	Volume up/down	√	√	√	√	√	√
	Hang up	√	√	√	√	√	√
Dialing	Audio Transfer	√	√	√	√	√	√
	Volume up/down	√	√	√	√	√	√
	Voice dial	√	√	√	√	√	√
	Redial last call	√	√	√	√	√	√
3-way Talk	Reject line2 incoming call	√	√	√	√	√	√
	Terminate line1 and accept line2	√	√	√	√	√	√
	Switch between line1 and line2	√	√	√	√	√	√
	3-way talk	√	√	√	√	√	√
Phonebook	Dialed	√	X	√	X	√	√
	Received	√	X	√	X	√	√
	Missed call	√	X	√	X	√	√

NOKIA							
		6085	6111	6270	8910	6600	6230
Features							
Caller ID		√	√	√	√	√	√
RSSI Signal		√	√	X	√	√	√
Battery life		√	√	X	√	√	√
A2DP/AVRCP		√	X	X	X	X	X
Paring							
Paring	Paring	√	√	√	√	√	√
Ringing							
Ringing	In-Band Ring Tone	√	√	√	√	√	√
	Talk	√	√	√	√	√	√
	Reject	√	√	√	√	√	√
Talking							
Talking	Audio Transfer	√	√	√	√	√	√
	Volume up/down	√	√	√	√	√	√


	Hang up	√	√	√	√	√	√
Dialing	Audio Transfer	√	√	√	√	√	√
	Volume up/down	√	√	√	√	√	√
	Voice dial	√	√	√	√	√	√
	Redial last call	√	√	√	√	√	√
3-way Talk	Reject line2 incoming call	√	√	√	√	√	√
	Terminate line1 and accept line2	√	√	√	√	√	X
	Switch between line1 and line2	√	√	√	√	√	√
	3-way talk	√	X	X	X	√	√
Phonebook							
	Dialed	√	X	X	√	X	√
	Received	√	X	X	√	X	√
	Missed call	√	X	X	√	X	√
NOKIA							
	6233i	6310	N95				
Features							
Caller ID		√	√	√			

RSSI Signal		√	√	√			
Battery life		√	√	√			
A2DP/AVRCP		√	X	√			
Paring	Paring	√	√	√			
Ringing	In-Band Ring Tone	√	√	√			
	Talk	√	√	√			
	Reject	√	√	√			
Talking	Audio Transfer	√	√	√			
	Volume up/down	√	√	√			
	Hang up	√	√	√			
Dialing	Audio Transfer	√	√	√			
	Volume up/down	√	√	√			
	Voice dial	√	√	√			
	Redial last call	√	√	√			
3-way Talk	Reject line2 incoming call	√	√	√			
	Terminate line1 and accept line2	√	√	√			
	Switch between line1 and line2	√	√	√			
	3-way talk	√	√	√			
Phonebook							

	Dialed	√	√	√			
	Received	√	√	√			
	Missed call	√	√	√			

Motorola							
		V600	V501	V3	K1	V3x	明 (A1200)
Features							
Caller ID		√	√	√	√	√	√
RSSI Signal		√	√	√	√	√	X
Battery life		√	√	√	√	√	X
A2DP/AVRCP		X	X	X	√	√	√
Paring							
Paring	Paring	√	√	√	√	√	√
	Paring cancel	√	√	√	√	√	√
Ringing							
Ringing	In-Band Ring Tone	√	√	√	√	√	√
	Talk	√	√	√	√	√	√
	Reject	√	√	√	√	√	√
Talking							
Talking	Audio Transfer	√	√	√	√	√	√
	Volume up/down	√	√	√	√	√	√
	Hang up	√	√	√	√	√	√
Dialing	Audio Transfer	√	√	√	√	√	√

	Volume up/down	√	√	√	√	√	√
	Voice dial	√	√	√	√	√	√
	Redial last call	√	√	√	√	√	√
3-way Talk	Reject line2 incoming call	√	√	√	√	√	√
	Terminate line1 and accept line2	√	√	√	√	√	√
	Switch between line1 and line2	√	√	√	√	√	√
	3-way talk	X	X	X	√	X	
Phonebook							
	Dialed	√	√	√	√	√	X
	Received	√	√	√	√	√	X
	Missed call	√	√	√	√	√	X

Motorola							
	E398						
Features							
Caller ID	√						
RSSI Signal	√						

Battery life		√					
A2DP/AVRCP		X					
Paring		√					
Ringing	Talk	√					
	Reject	√					
Talking	Audio Transfer	√					
	Volume up/down	√					
	Hang up	√					
Dialing	Audio Transfer	√					
	Volume up/down	√					
	Voice dial	√					
	Redial last call	√					
3-way Talk	Reject line2 incoming call	√					
	Terminate line1 and accept line2	√					
	Switch between line1 and line2	√					
	3-way talk	√					
Phonebook							
	Dialed	√					
	Received	√					

	Missed call	√					
--	-------------	---	--	--	--	--	--

Panasonic & Sharp & Siemens						
		X88	GX-T15	WX-T71	S55	BenQ S88
Features						
Caller ID		√	√	√	√	√
RSSI Signal		X	X	√	√	X
Battery life		X	X	√	√	X
A2DP/AVRCP		X	X	X	X	X
Paring						
Paring		√	√	√	√	√
Ringing	Talk	√	√	√	√	√
	Reject	√	√	√	√	√
Talking	Audio Transfer	√	√	√	√	√
	Volume up/down	√	√	√	√	√
	Hang up	√	√	√	√	√
Dialing	Audio Transfer	√	X	√	√	√

	Volume up/down	√	√	√	√	√
	Voice dial	X	X	X	√	X
	Redial last call	√	√	√	√	√
3-way Talk	Reject line2 incoming call	X	√	√	√	√
	Terminate line1 and accept line2	X	√	√	√	√
	Switch between line1 and line2	√	√	√	√	√
	3-way talk	X	X	√	√	X
Phonebook						
	Dialed	X	X	√	√	X
	Received	X	X	√	√	X
	Missed call	X	X	√	√	X

HTC & Dopod							
		HTC TyTN II	HTC Touch	818	565		
Features							
Caller ID		√	√	√	√		
RSSI Signal		√	√	X	X		
Battery life		√	√	X	X		
A2DP/AVRCP		√	√	X	X		
Paring							
Paring		√	√	√	√		
Ringing	Talk	√	√	√	√		
	Reject	√	√	√	√		
Talking	Audio Transfer	√	√	√	√		
	Volume up/down	√	√	√	√		
	Hang up	√	√	√	√		
Dialing	Audio Transfer	√	√	√	√		
	Volume up/down	√	√	√	√		

	Voice dial	√	√	X	√		
	Redial last call	√	√	√	√		
3-way Talk	Reject line2 incoming call	√	√	X	X		
	Terminate line1 and accept line2	√	√	√	X		
	Switch between line1 and line2	√	√	√	√		
	3-way talk	√	√	X	X		
Phonebook							
	Dialed	√	√	X	X		
	Received	√	√	X	X		
	Missed call	√	√	X	X		

LG & SAMSUNG							
		KG320	Shine KE970	TU500	D908		
Features							
Caller ID		√	√	√	√		
RSSI Signal		X	√	X	X		
Battery life		X	√	X	X		
A2DP/AVRCP		X	√	X	X		
Paring		√	√	√	√		
Ringing	Talk	√	√	√	√		
	Reject	√	√	√	√		
Talking	Audio Transfer	√	√	√	√		
	Volume up/down	√	√	√	√		
	Hang up	√	√	√	√		
Dialing	Audio Transfer	√	√	√	√		
	Volume up/down	√	√	√	√		

	Voice dial	X	X	X	X		
	Redial last call	X	√	N/A	N/A		
3-way Talk	Reject line2 incoming call	X	√	N/A	N/A		
	Terminate line1 and accept line2	√	√	N/A	N/A		
	Switch between line1 and line2	√	√	N/A	N/A		
	3-way talk	X	√	N/A	N/A		
Phonebook							
	Dialed	X	X	X	X		
	Received	X	X	X	X		
	Missed call	X	X	X	X		

ASUS & BlackBerry						
	ASUS P535	BlackBerry	BlackBerry Pearl			
Features						
Caller ID	√	√	√			
RSSI Signal	X	√	√			

Battery life		√	√	√			
A2DP/AVRCP		√	X	X			
Paring		√	√	√			
Ringing	Talk	√	√	√			
	Reject	√	√	√			
Talking	Audio Transfer	√	√	√			
	Volume up/down	√	√	√			
	Hang up	√	√	√			
Dialing	Audio Transfer	√	√	√			
	Volume up/down	√	√	√			
	Voice dial	√	X	N/A			
	Redial last call	√	√	√			
3-way Talk	Reject line2 incoming call	√	√	√			
	Terminate line1 and accept line2	√	√	√			
	Switch between line1 and line2	√	√	√			
	3-way talk	x	√	√			
Phonebook							
	Dialed	√	X	N/A			
	Received	√	X	N/A			

	Missed call	√	X	N/A			
--	-------------	---	---	-----	--	--	--